



Welcome to UNOVA!

What we do: -

- PROVIDE LONG-LIFE PAINT SYSTEMS
- MAXIMISE PAINT SHOP EFFICIENCIES

We established ourselves in 1995 as a family business supplying industrial paint products and associated items into a wide range of industries. With the founders still at the helm, we now have 20+ years of genuine experience.

To complement our wide range of paints, we also supply spray equipment, compressors, paint shop consumables, tools and other equipment. If you can't find anything in this catalogue, contact us because we can supply much more than what is shown in here.

Opening hours

- 7.30am to 4.30pm Mon-Fri
- Closed weekends

Ways to order

- Telephone on 01753 584 500
- Email us at sales@unovaproducts.com
- Or visit our website at <http://shop.unovaproducts.com>

Delivery

- Order before 3pm for next day delivery.
- Special services are available on request such as pre-12noon, pre-10am, pre-9am, Saturday and even Sameday courier service.
- We can also ship to destinations worldwide when required.

Payment

- We accept most major Debit/Credit cards.
- Credit account are available subject to approval. Request an application form from our accounts team on 01753 584 500 or accounts@unovaproducts.com.

Sales and Returns Policy (refer to our full Terms & Conditions – available on request)

- We accept return of normally stocked items within 30 days of delivery providing they are returned in new condition in their original packaging.
- Mixed paints or special-order items unfortunately cannot be returned.
- Damages and/or shortages must be notified within 5 days of delivery.

Contents

PAINTS

Metal.....	4
Commercial Vehicle.....	8
Marine.....	9
Wood.....	10
Direct Adhesion.....	12
Building Maintenance.....	13
Heat and Fire Proof.....	14
Aerosols.....	15

CONSUMABLES

Abrasives.....	18
Brushes & Rollers.....	25
Cloths & Wipes.....	28
Fillers.....	29
Masking.....	31
Mixing.....	33
Packaging.....	34
Polishing.....	36
PPE.....	38
Pretreatments & Solvents.....	42

SPRAYBOOTH.....	46
Spray Equipment.....	48
Spray Booth Equipment.....	53
Spray Booth Maintenance.....	54

TOOLS & EQUIPMENT

Air Regulators, Hose & Fittings.....	56
Air Tools.....	57

Paint for Metal (1pk Primer)



EP233B	Premium Etch Primer Black
EP133B/Black	1pk Etch Primer. PVB rapid dry zinc phosphate spray primer with good adhesion to galvanise, steel, copper and aluminium.
EP133G/Grey	
EP133W/White	
MO145	Micaceous Iron Oxide Primer. Tough, durable, water resistant primer. Can be used alone or as part of a paint system on bridges, barriers and structural steel etc.
PQDPR/Red	Jotun Pilot QD Primer. Fast drying primer containing zinc phosphate to help prevent corrosion. To be used for steel and aluminium structures in moderate environments.
PQDPG/Grey	
PR132B/Blue	Easicote Undercoat. A fast drying, single component primer, based on Acrylic resins which provides a tough, durable and flexible film resulting in exceptional weathering properties. Easicote Undercoat can be applied over most previously painted surfaces without reaction.
PR132W/White	
UACID8	U-POL Acid 8 Primer. Promotes paint adhesion to difficult substrates such as galvanised steel & aluminium. Ideal for rub throughs in primer prior to application of colours/topcoats.
UC130'X'	QAD Undercoat. Alkyd spray undercoat with excellent flow and opacity for spray application to suitably primed surfaces. 'X' available in various colours, R (Red), G (Grey), B (Black), W (White)
UC131'X'	Brushing Undercoat. Alkyd undercoat with excellent flow and opacity for brush application to suitably primed surfaces. 'X' available in various colours, R (Red), G (Grey), B (Black), W (White)
WB129'X'	Waterborne Primer. High quality, non hazardous, quick dry primer for brush/spray application to general steelwork. 'X' available in various colours, R (Red), G (Grey), B (Black), W (White)
ZP121	High Quality Zinc Phosphate Primer. Tintable anticorrosive primer with good adhesion to steel. Excellent overcoating properties. Accepts most 1pk and 2pk topcoats.
ZP125'X'	Zinc Phosphate Primer. High solids, quick dry, compliant anticorrosive brush/spray primer for structural steelwork. 'X' available in various colours, R (Red), G (Grey), B (Black), W (White), BF (Buff), BG (Beige) Can be mixed to most colours.
ZP127'X'	Zinc Phosphate Brushing Primer. High build, anticorrosive, low odour brush primer for general steelwork, plant and machinery. 'X' available in various colours, R (Red), G (Grey), B (Black), W (White)
ZP128R/Red	Zinc Phosphate Primer. High build, quick dry, anticorrosive brush/spray primer for general steelwork, plant and machinery.
ZP128G/Grey	
ZR142	Zinc Rich Primer. Excellent anticorrosive primer containing >90% zinc in the dry film. For spot repairs to galvanize and for priming suitably prepared steel.
ZR143	Bright Zinc Aluminium Primer. High performance anti corrosive primer containing zinc and aluminium pigments, particularly useful for remedial work on bright galvanize after fabrication. The aesthetics match new bright galvanising better than conventional zinc rich primers avoiding obvious patchiness. Performs best when applied direct to a blasted steel surface.

Paints for Metal (2pk Primer)



J87'X'	Jotun Jotamastic 87. An excellent high performance 2pk epoxy mastic, high build, surface tolerant primer. Highly resistant to corrosion and abrasion for above or below the water line. 'X' available in various colours, R (Red), GR (Grey), BK (Black), W (White)
JSP'X'	Jotun Jotamastic Smart Pack. An excellent high performance 2pk surface tolerant epoxy mastic coating, suitable as an anticorrosive touch-up coating for steel. Specially formulated for application by brush and roller. 'X' available in various colours, R (Red), GR (Grey), BK (Black), W (White) A (Aluminium)
BAR77	Jotun Barrier 77. A zinc rich 2pk epoxy primer for excellent corrosion protection. Apply to blasted steel.
PEXZPG/Grey	Jotun Penguard Express ZP. A 2pk epoxy zinc phosphate primer. High solids, fast curing.
PEXZPR/Red	
PHBG	Jotun Penguard HB. Epoxy intermediate build primer. Can be applied direct to suitably prepared steel, stainless steel, fibre glass and concrete. Also as a primer onto fiberglass (GRP) and Aluminium Boats.
EP134	2Pk Etch Primer. Translucent Yellow PVB rapid dry etch containing zinc chromate. Excellent adhesion direct to mild steel, copper, aluminium and galvanized steel.
EP135	2Pk Chromate Free Etch Primer. PVB rapid dry chromate free etch primer. Excellent adhesion direct to mild steel, copper, aluminium and galvanized steel.
PEXMIO	Jotun Penguard Express MIO. Epoxy corrosion resistant primer containing Micaceous iron oxide. Can be used as an intermediate coat or direct to steel. Silver grey.
PR224C	2pk Polyurethane Primer/Undercoat. A 2pk high build primer based on PU/Acrylic resins. Can be applied over most metal surfaces. Excellent adhesion direct to alloys, galvanize and powder coated surfaces. Available in most BS + RAL colours.
PR227	2pk High Adhesion Epoxy Primer. High build, high performance, anticorrosive primer with excellent adhesion to most metals including galvanized steel.

Paints for Metal Topcoat



Paints for Metal Topcoat

HTXPC	Jotun Hardtop XP. A 2pk high solids, polyurethane topcoat with excellent gloss and colour retention. Can be used where a durable, weather resistant finish is required.
AE152C	QD Polyurethane Topcoat. Ideal for agricultural plant and machinery.
HTCAC	Jotun Hardtop CA. 2pk acrylic, iso-free topcoat with good colour and gloss retention. Can be used as a topcoat over an epoxy primer where a durable, high gloss finish is required.
PETCC	Jotun Penguin Topcoat. A 2pk epoxy topcoat which is certified not to spread surface flames. Can be used as a finishing coat in epoxy systems, or on concrete.
PT2C	Jotun Pilot II. An alkyd based topcoat for internal and external use, suitable for steel and woodwork. It is certified not to spread surface flames and has good colour and weather stability.
AE150B/Black	Alkyd Spray Topcoat Gloss. Fast dry topcoat for machinery, railings and architectural metalwork. Limited colours.
AE150W/White	
AE154	Alkyd Brush Topcoat. Air drying topcoat with good coverage and gloss retention. Suitable for internal or external wood and metal. Particularly suited for application by brush and roller. Any colour.
AH159	Alkyd Hammer finish topcoat. Fast dry durable spray/brush hammer effect enamel ideal for steel surfaces with irregularities e.g. castings. Limited colours.
PTCC	Jotun Pioneer Topcoat. An acrylic resin based topcoat suitable for internal and external use. Can be used for the protection of steel and concrete in a variety of climates. It is water resistant and may be used at low temperatures.
TC156	Chlorinated Rubber Topcoat. Fast dry spray finish with good chemical and water resistance. For use on steelwork in humid environments. Any colour.
TC160	QAD Alkyd Spray Topcoat. Quality fast dry finish with good gloss and weather resistance. For agricultural and mechanical machinery. Any colour.
TC166	High Solids Stove Enamel. Quality synthetic high solids stove enamel with excellent opacity, hardness and scratch resistance. For metal components. Any colour.
TC167	Industrial Cellulose Enamel. Easy to use rapid dry finish for use on steelwork where a fast turn around is required. Any colour.
TC169	Waterbased Acrylic Topcoat. Non hazardous quick dry spray/brush topcoat. Ideal for situations prohibiting the use of solvents.
TC369	Acrylic Topcoat. Single component air drying topcoat for brush or spray application to internal or external wood & metal. Provides a tough, durable, flexible film with excellent weathering properties and is fast drying.
TC350	2pk Acrylic Lacquer. 2pk acrylic clear lacquer for spray application over a wide range of paint systems. Has excellent chemical & weathering & scratch resistance.
TC254	Premium 2pk Polyurethane Topcoat, Durable finish coat for steelwork and machinery with outstanding gloss/colour retention and chemical resistance. Suitable for polishing/burnishing to a high gloss.
TC255	2pk Polyurethane Topcoat, Fast dry durable spray finish with good gloss/colour stability. For use on industrial steelwork and machinery. Any colour.
TC258	2pk Polyacrylic Topcoat, Durable, high gloss spray finish with excellent gloss/colour stability. Prestigious finish coat for industrial bodywork. Any colour.
TC260	2pk Epoxy Topcoat, Chemical resistant durable spray finish for use on surfaces that are exposed to chemicals and corrosive substances. Any colour.
TC460	2pk Iso-Free Acrylic, Fast dry durable user friendly spray finish suitable for on site spraying of general metalwork, plant and machinery. Any colour.

Commercial Vehicle Paints



NSZN340	Northstar ZN340 Zinc Rich Moisture Cured Primer. Maximum corrosion protection for chassis and parts exposed to salt spray. Tested >10,000 hours salt spray. Optional hardener available for accelerated overcoating.
SCG/Grey	Stone Chip Underbody Coating. A repaintable plastic protective coating. Suitable for repairing under-door and side-bands, wheel arches and under-body. Does not contain lead, tar, asbestos or chlorinated hydrocarbons.
SCB/Black	
SCW/White	
NSEP210LG	Northstar 2pk Epoxy Primer is a 2pk epoxy primer that has been formulated for excellent adhesion and corrosion resistance when used on various types of substrates including properly prepared steel and aluminum. By varying the thinner content EP210 can be used wet on wet or as abuild coat.
PRO4:1	Promatic 4:1 High Solids Primer/Filler Acrylic high solids, high build primer. Fast dry easy sand base coat for use on steel where a refined finish is required. Excellent adhesion to plastics including PP and PE. In grey or White.
NSGM350	Northstar Glamour 2pk Clear Lacquer GM350 possesses a "water white" color that eliminates concerns of "color change" over some basecoat colors, especially white. GM350 has outstanding buffing capabilities and a superior gloss for a glamour appearance.
NS928C	Northstar High Solids 2pk Polyurethane Topcoat. 928 is high opacity, high gloss finish offering outstanding gloss retention, chemical resistance, and long lasting durability.

Boat & Marine



VINSG	Jotun Vinyguard Silvergrey 88. Vinyl, fast dry, anticorrosive primer for use on wood or metal above or below the water line.
SEADR/Dark Red	Antifouling Seaforce 30. TBT-Free high solids self polishing antifouling based on Polymeric Plasticizer Technology (patented). The performance of SeaForce 30 is achieved by a combination of unique synthetic polymers. IMO Anti-fouling System Convention compliant (AFS/CONF/26. SEAFORCE 30 IS ONLY PERMITTED FOR USE ON SEA BOUND VESSELS (UNLESS OTHERWISE PERMITTED)
SEABL/Blue	
SEABK/Black	
SL194	HB Black Bitumen Paint High Build, flexible, damp proof coating for concrete, steel, non-potable water tanks and boats. Can be applied for underground damp proofing as well as above or below the water line in the marine environment. Comes in a low sheen finish. For glossier finish overcoat with SL195.
SL195	Black Bitumen Paint Conventional waterproof coating for steel, concrete and boats above the water line. Can be applied above the water line in the marine environment. Comes in a glossy finish. For superior damp proofing apply over SL194.
FP286C/Smooth	Deckpaint, Fast dry, acrylic topcoat with good water and abrasion resistance. For pontoons, walkways and decks.
FP286CNS/Non Slip	

Paints for Wood (Primer)



AUL3396/13	Quick Drying Waterbourne Wood Primer White 25kg
PR229W	Quick Drying Waterbourne Wood Primer, Single component environmentally friendly fast dry primer specifically for MDF flat parts & profiles. Exhibits excellent filling properties, high pigment loading & high solids content.
PR231	Precat Sanding Sealer. General purpose fast dry, easy sand base coat for most wood surfaces including MDF. Clear.
PR232G/Grey	Precat Primer. High build filler primer exhibiting easy sand precat cellulose primer for use on most metal and wood surfaces including MDF.
PR232W/White	
PR234W/White	2pk Polyurethane Primer. High build, fast dry, easy sand 2pk primer particularly suitable for MDF
TU1	Sayerlack TU1 Clear Base Coat. A general purpose high build clear polyurethane basecoat suitable for most applications onto wood. Exhibits good build, good sand-ability and excellent lifting resistance.
TU148/13	Poly Primer White. A 2pk Polyurethane Primer for woods, high solids, high build primer with excellent opacity. Easy sand.

Paints for Wood (Topcoat)




TC161	Precat Lacquer Topcoat. Easy to use rapid dry 1pk topcoat wood finish ideal for fast turn around work e.g. Exhibition industry. Available in clear and colour.
TC264	2pk Poly Acrylic Coat-on-Coat Lacquer. A clear lacquer for application direct to timber or over pigmented polyurethanes. TC264 is completely transparent and has high yellowing resistance and excellent hardness/scratch resistance.
WB153	Waterbased Topcoat. For application onto suitably primed wood surfaces.
TC265	2pk Polyurethane Topcoat. Rapid dry, high build, durable wood finish which is formaldehyde free. For domestic/commercial fitted interiors.
TC268	2pk Acid Cat Topcoat. Rapid dry, durable wood finish for domestic/commercial fitted interiors. Clear or colour.
TZ36	2pk HB Poly Clear Lacquer. A polyurethane topcoat suitable for electrostatic application. It is a highly adaptable topcoat with good characteristics of wettability, scratch resistance and build. Apply over TU1 basecoat.

Direct Adhesion & Special Primers



NS777C	Northstar DTM 2pk Polyurethane. 777 adheres direct to steel and can be applied in high film thickness >300 microns dft. 777 will reduce application times and achieve a high gloss durable finish suitable for commercial vehicles and working machinery.
AE252C	WB High Adhesion. Waterborne fast dry, low odour primer/topcoat. Hard, chemical resistant finish for direct application to glass.
AQUAGC	best seller AquaGrip High Adhesion Colour. Water-borne primer/topcoat, suitable for interior refurbishment. It is formulated using the latest developments in water-borne technology utilising non yellowing acrylic and polyurethanes resins which ensure superb adhesion and excellent hardness. Adheres to most substrates.
NSSX01	Northstar Stixx Adhesion Promoter. Initial sealer coat over 'difficult' substrates.
AE151C	Alkyd Primer Topcoat. Brushing high build, anticorrosive coating for refurbishment of steel skips, containers, plant and machinery.
AE155C	best seller Alkyd Primer Topcoat. Fast dry, high build, anticorrosive coating for refurbishment of steel skips, containers, plant and machinery.
CTUC	Jotun Con Seal Touch-up Acrylic, fast drying, high build primer finish coat for application direct to metal. For both new build and maintenance work.
SP157C	Synthetic Primer Topcoat. High solids, high gloss, fast dry coating for application direct to structural/architectural metalwork, plant and machinery.
SP168C	Vinyl High Adhesion. For direct application to galvanised surfaces.
TC266C	best seller 2pk PA High Adhesion Primer/Topcoat. Durable, UV resistant one coat finish with excellent adhesion direct to steel, aluminium, brass, galvanise and most plastics.
PR221	P P Primer Single component solvent borne adhesion promoting coating. Used for most polypropylene and polyethylene plastics. Ensures improved adhesion of subsequent coatings Fast drying and very flexible.
UBARCOAT	U-POL Barcoat is a quick drying yellow oxide isolating primer. It is designed to prevent lifting and bleeding of existing paint film sensitive to solvent attack when over coated with cellulose or paint containing strong solvents. BARCOAT is quick and economical to use. It is supplied ready for use, requires only a one coat application and does not need sanding.
AC147E/Eggshell	Anticorrosive Primer/Finish Black Single component quick drying anticorrosive paint based on a modified alkyd resin. For use on wrought iron, metal framework, staging etc. Apply direct to suitably prepared steel.
AC147M/Matt	

Building Maintenance



FP171'X'	FP171 Floor Coat. A 1pk polyurethane paint for fast transformation of concrete floors subject to light traffic - garages, workshops etc. Available in smooth gloss or non-slip finish. USES SV104. 'X' available in various colours, LG (Light Grey), MG (Mid-Grey), Y (Yellow), W (White), R (Tile Red), C (Colours mixed to order).
FP174C	A 2 pack waterborne epoxy floor paint for concrete floors, particularly in areas prohibiting the use of solvents. A long life and extremely tough floor paint, abrasion and chemical resistant and with excellent cleaning properties. Colours mixed to order.
FP173	A 2pk waterborne clear primer/sealer for concrete floors. Normally used prior to application of FP176 Solvent Free Epoxy floor paint.
FP176C	Solvent free high build 2pk epoxy. Extremely hard and chemical resistant. For floors subject to heavy traffic. Fast cure and non-slip versions available. Light Grey in stock. Wide range of colours mixed to order.
FP177C	A two component epoxy floor paint with excellent chemical resistance. A high build protective coating for concrete floors subject to heavy traffic. Extremely hard wearing, with low odour and VOC emissions - seamless hygienic finish. Colours mixed to order.
JFR'X'	Extremely fast drying paint for use on concrete floors where down time has to be kept to a minimum. Apply up to 3 coats in one day. USES JTH7. 'X' available in various colours, R (Red), G (Grey), C (Colours mixed to order).
JFSA	A clear 2pk epoxy sealer with excellent penetration properties to ensure adhesion to concrete floors and masonry surfaces. Can be used as a dust binder on concrete floors.
FP292C	An excellent tough and durable non-slip coating for ultimate performance in a single coat application. For application direct to a wide range of substrates including steel, aluminium and galvanize to provide a slip resistant finish in hazardous areas. Colours mixed to order.
SL192'X'	Rapid drying abrasion resistant line marking paint for asphalt, concrete or block surfaces on roads, car parks, sports area's etc. 'X' available in various colours, Y (Yellow), W (White), R (Red), B (Black).
LMAW	750ml line marker aerosols. Quality acrylic spray for hard wearing, distinctly visible lines. 'X' available in various colours, W (White), Y (Yellow), R (Red), B (Blue), G (Green).
NSA36	Ultra-durable aluminium oxide non-slip aggregate for use with floor paints. Usually sprinkled onto wet paint and over coated to provide a low-slip finish.
NSG	Non-slip glass aggregate for use with floor paints. Usually sprinkled onto wet paint and over coated to provide a low-slip finish.
MS-168C	Fast drying, tough, flexible coating for the protection and rejuvenation of old plastisol coated steel cladding. Can also be used on general steel and galvanize fabrications. Colours mixed to order.
SL186B	A non-drying single pack petroleum wax for application to down pipes, walls and gates to deter potential intruders/vandals. Can be applied direct to concrete, brick, wood, plastic and metal. SL186SIGN warning signs must be used where this paint is applied.
SL288	A 2pk waterborne easy clean varnish, in a solvent resistant satin finish for masonry, internal wood and most previously painted substrates. Prevents graffiti staining the substrate and facilitates easy removal.
TC285B	A Black modified chlorinated rubber paint for tarmac rejuvenation. Gives old tarmac the new fresh look or obliterates old lines and stains prior to remarking or colour coding areas.
NST	18.3 mtr x 50mm wide roll of non-slip self adhesive floor tape. Available in a range of colours and widths.

Heat & Fire proof



HR164	Heat Resistant Aluminium 150°C. Quick air drying aluminium finish for use on steel items operating at temperatures of up to 150°C.
HR165A/Aluminium	Heat Resistant 450°C. Quick air drying silicone based product for use on steel items operating at temperatures of up to 450°C.
HR165B/Black	
STM60-120	Jotun Steelmaster 60/120 IG A solvent-based thin film intumescent coating for the fire protection of structural steel. It will provide 30-120 minutes protection depending on the film thickness applied.
STM600WF	Jotun Steelmaster 600WF A water-based thin film intumescent coating for the fire protection of structural steel. It will provide 30-90 minutes protection depending on the film thickness applied. A new product with excellent loadings.
STM1200WF	Jotun Steelmaster 1200WF A water-based thin film intumescent coating for the fire protection of structural steel. It will provide 30-120 minutes protection depending on the film thickness applied.

Etch Primer Grey 500ml



An etch primer that gives the ultimate adhesion direct onto many difficult substrates including alloys, stainless steel, zinc and galvanize. The final surface is a super smooth non-porous finish that is suitable for any topcoat.

AEPRG	Grey
-------	------

Aluminium Zinc Silver 500ml



An anti corrosive primer aerosol containing high levels of zinc and aluminium to match the finish of new galvanize. For convenient spot repairs to damaged galvanize.

APZA	Bright Silver
------	---------------

Promatic Paint Isolator Beige 500ml



PROMATIC ISOLATOR is a ready for use, quick drying primer/isolator. Helps prevent the lifting and bleeding of old paint which is sensitive to strong solvents. It can be overcoated with primer after 1 hour.

APIB	Beige
------	-------

ProXL UltraGrip Adhesion Promoter 500ml



UltraGrip is a technically advanced promoter that has excellent grip to virtually any substrate, has been tested on the following: - All types of plastic, any non-ferrous metal including aluminium & stainless steel, also glass, porcelain and E coat substrates.

PROXLUG	Clear
---------	-------

Primer 500ml



A high build fast drying acrylic primer filler. Suitable for steel, light alloys and some plastics.

APRR	Red
APRG	Grey
APRW	White

Zinc Rich Spray Primer Grey 500ml



An anti corrosive primer aerosol containing high levels of zinc. For convenient spot repairs to damaged galvanize.

APZ	Grey
-----	------

Plastic Adhesion Promoter 500ml



An advanced adhesion promoter for most types of plastics. Can be over coated with topcoat after just 30 minutes.

APP	Clear
-----	-------

ProXL 2k Primer



Pro2kPrime is a high build primer utilizing two-component or 2K primer technology. Our 2k primer can be applied to a wide range of substrates with outstanding adhesion and sealing properties. For a two component primer Pro2kPrime is very quick drying and isocyanate free.

PRO2KP	Grey
--------	------

ProXL Pro-Build 500ml



A primer-surfacer combining ultra high filling properties with very quick drying times. Provides an easy sand non-porous surface that's suitable for any topcoat.

PROXLPBW	White
PROXLPBG	Grey

Steel Wheels 500ml



A high quality, fast drying acrylic silver wheel paint for steel and aluminium rims and hub caps. Apply a suitable primer where necessary.

ASW	Silver
-----	--------

Topcoat 500ml



A high quality, high coverage, fast drying acrylic aerosol. Can be applied over most suitably primed surfaces.

ATCBG	Black Gloss
ATCBS	Black Satin
ATCBM	Black Matt
ATCW	White Gloss
ATCLG	Clear Gloss

Wheel Silver 500ml



A high quality, fast drying acrylic silver wheel paint for steel and aluminium rims and hub caps. Apply a suitable primer where necessary.

AWS	Silver
-----	--------

Custom Filled RAL 400ml



Custom filled aerosol topcoat in a wide range of colours and finishes. Can be applied over most suitably primed surfaces.

ATCR400	*Specify Colour*
---------	------------------

Custom Filled 2k Topcoat 400ml



A custom filled topcoat with 'in-can' activator enabling 2pk technology in convenient aerosol form. Cures to form a very durable finish.

ATC2K	Clear
-------	-------

Topcoat Chrome Effect 400ml



A metallic spray aerosol that provides an intense chrome effect. It is suitable for use on most substrates with correct preparation but offers limited resistance to weathering and abrasion. Use PROXLCL lacquer for extra protection and gloss.

ATCH	Chrome
------	--------

Topcoat Heat Resistant



High temperature aerosols provide a finish that can resist temperatures of up to 600°C. The coating will adhere to bare steel as well as pre-coated surfaces providing a weatherproof finish in a range of colours.

ATHRB	Black
ATHRS	Silver
ATHRC	Clear
ATHRW	White

Topcoat 2pk Clear Lacquer 200ml



A high gloss lacquer with 'in-can' activator enabling 2pk technology in convenient aerosol form. Cures to form a very durable crystal clear finish which can be mechanically polished after 24 hours.

ATCL2K	Clear
--------	-------

ProXL Clear Lacquer 500ml



A high performance lacquer which gives a crystal clear finish that can be applied over all water and solvent based basecoats and is ideal for smart repairs.

PROXLCL	Clear Gloss
---------	-------------

Stone Chip 500ml



Stone chip aerosols are ideal for touching up repaired underbody parts on all commercial vehicles.

ASCB	Black
ASCG	Grey

UltraBlend



UltraBlend is a technically advanced blending clear that dissolves the edges of clear coats and solid colours resulting in the perfect finish can be used with HS and MS coatings. Ideal for smart repairs. Supplied with 2 nozzles.

PROXLUB	Clear
---------	-------

Custom Filled Touch-up Pots C/W Brush Cap 15ml



Small touch up pots containing 15ml of paint, with brush on cap for application. Can be filled to your requirements in almost any colour and finish.

TUPCF	*Specify Colour*
-------	------------------

Smirdex Production Paper Sheets 230x280



ABS80	P80
ABS120	P120
ABS150	P150
ABS180	P180
ABS240	P240
ABS320	P320
ABS400	P400

This product is especially designed, for dry sanding of solid and veneered wood. The product has high stock removal ability. Fine sanding of lacquers and primers is now easier than ever due to the zinc stearate coating, which prevents clogging. It is also suitable for profile sanding due to the backing of latex paper. Pack of 100 sheets.

Smirdex Wet & Dry Sheets 230x280



WDP80	P80
WDP120	P120
WDP180	P180
WDP240	P240
WDP320	P320
WDP400	P400
WDP600	P600
WDP800	P800
WDP1000	P1000
WDP1200	P1200
WDP1500	P1500
WDP2000	P2000

Waterproof paper is recommended for manual wet sanding of lacquers, plastics and composite materials. Its flexible backing and bond allow for easy folding and tearing. It can resist loading and curling and it can offer a uniform finish. Pack of 50 sheets.

Smirdex Ali Oxide Rolls 115mmx25mtr



ABR60	P60
ABR80	P80
ABR100	P100
ABR120	P120
ABR180	P180
ABR240	P240
ABR320	P320
ABR400	P400

This heavy-duty product is especially designed to be used wherever greater stock removal is needed. It is suitable for sanding hard wood as well as veneered wood. For manual or machine processes. 25mtr roll.

Mirka Foam Backed Abrasive Roll



An abrasive developed for sanding profiled surfaces and irregular, difficult-to-reach details by hand. The foam base is grip friendly and applies pressure evenly, which reduces the risk of sanding through the surface. Suitable for both dry and wet sanding. Roll of 200 sheets

FBAM180	P180
FBAM240	P240
FBAM320	P320
FBAM400	P400
FBAM500	P500
FBAM800	P800

Smirdex Foam Backed Abrasive Roll



A highly effective sandpaper with a thin foam layer. Developed to minimise clogging, whether being used for hand or machine sanding. The foam layer and open structure provide superior flexibility that allows the material to easily follow surface contours. Roll of 200 sheets.

FBAS240	P240
FBAS320	P320
FBAS400	P400

Mirka 150mm Self Adhesive Gold Disc



A durable, all-round sanding material that is well suited for high speed sanding in a multitude of applications. Features semi-open and stearate coatings designed to prevent clogging and pill forming which helps achieve an optimal sanding result. Boxes of 50 or 100 discs.

SAD40	P40 (50)
SAD80	P80 (100)
SAD120	P120 (100)
SAD150	P150 (100)
SAD180	P180 (100)
SAD240	P240 (100)
SAD320	P320 (100)
SAD400	P400 (100)

Vinyl Plain 150mm Sander Back Up Pad



SBP	
-----	--

Sander backing pad with 5/16" thread for use with 150mm Self Adhesive discs

77mm Mirka Velcro Discs



Mirka Gold hook and loop backed discs are a durable product very well suited for sanding at high speeds. Gold is an all-round sanding material that can be used for many purposes. In order to achieve an optimal sanding result, the semi-open grit binding and special stearate coatings are designed to prevent clogging and pill forming. Coarser grits are recommended for the sanding of putty and removing lacquer while the finer grits are excellent for dry sanding primed or lacquered surfaces in preparation for following coats. Boxes of 50 discs.

MVDP77-80	P80
MVDP77-120	P120
MVDP77-180	P180
MVDP77-240	P240
MVDP77-320	P320
MVDP77-400	P400

150mm Mirka Velcro Discs 15 hole



Mirka Gold hook and loop backed discs are a durable product very well suited for sanding at high speeds. Gold is an all-round sanding material that can be used for many purposes. In order to achieve an optimal sanding result, the semi-open grit binding and special stearate coatings are designed to prevent clogging and pill forming. Coarser grits are recommended for the sanding of putty and removing lacquer while the finer grits are excellent for dry sanding primed or lacquered surfaces in preparation for following coats. Boxes of 50 or 100 discs.

MVDP150/15-40	P40 (50)
MVDP150/15-80	P80 (100)
MVDP150/15-120	P120 (100)
MVDP150/15-180	P180 (100)
MVDP150/15-240	P240 (100)
MVDP150/15-320	P320 (100)
MVDP150/15-400	P400 (100)
MVDP150/15-800	P800 (100)

Mirka 150mm Abralon Velcro Discs



Abralon is a unique, multifunctional sanding material developed for tackling both smooth and profiled surfaces. Its patented, flexible construction allows it to create a smooth sanding pattern on angled surfaces and edges while minimizing the risk of pressure marks. The flexible weave also allows water and air to pass freely through the disc. Box of 20 discs.

MVDAB150-2000	P2000
MVDAB150-3000	P3000

Velcro Sander Back Up Pad



Sander backing pad for velcro discs

VBP50	50mm
VBP77	77mm
VBP	150mm - 6 hole

Velcro Intermediate Multihole Sander Pad 150mm



A 150mm velcro intermediate sander pad 10mm thick that aids the sander when being used over uneven surfaces to give an evenly sanded finish. Also protects the backing pad from damage.

VISP6	
-------	--


Fibotec 1950 Siafast 125mm Velcro Disc



SVDPFT125-80	P80
SVDPFT125-150	P150
SVDPFT125-180	P180
SVDPFT125-240	P240

The holes in the abrasive disc are arranged on opposing spirals, such as are found on a sunflower. In sanding applications this hole pattern provides superior dust extraction, significantly reduced clogging and longer life of abrasive materials. Compared to standard hole patterns, Fibotec offers up to 35% faster removal rate with less dust residue on the workpiece and in the workspace. With Fibotec you achieve up to 3 times higher abrasive performance than with standard hole patterns. Box of 100 discs.

Sia Fibotec Backing Pad 125mm



Sander backing pad for use with 125mm Fibotec velcro discs.

SFBP125H	
----------	--

SIA 1948 Siafast Fibotec 150mm Velcro Disc



SIA1948FT150-040	P40
SIA1948FT150-080	P80
SIA1948FT150-120	P120
SIA1948FT150-150	P150
SIA1948FT150-180	P180
SIA1948FT150-240	P240
SIA1948FT150-320	P320
SIA1948FT150-400	P400

The holes in the abrasive disc are arranged on opposing spirals, such as are found on a sunflower. In sanding applications this hole pattern provides superior dust extraction, significantly reduced clogging and longer life of abrasive materials. Compared to standard hole patterns, Fibotec offers up to 35% faster removal rate with less dust residue on the workpiece and in the workspace. With Fibotec you achieve up to 3 times higher abrasive performance than with standard hole patterns. Boxes of 100 discs.

SIA FiboTec Backing Pad 150mm 5/16" + M8 Threads 103 Hole



Backing pads for use with 150mm FiboTec Velcro Discs

SIAVBP103S	Soft
SIAVBP103H	Hard

Sanding Block 14 holes 70 x 125mm



SB70125	
---------	--

Smirdex Velcro Strips Perforated P40 70x420mm



Smirdex for higher efficiency and better performance. Pack of 50.

VSP742-40	P40
VSP742-80	P80

Mirka Gold Sanding Strips 70 x 450mm



Mirka Gold - outperforms and outlasts - best buy. Pack of 50.

GOLDSTR70450-40	P40
GOLDSTR70450-80	P80

Mirka Abranet Strips 70x198mm



Abranet is a revolutionary new sanding material for dust-free sanding. Abranet has been developed for sanding putty, primers, lacquers, composite materials and a large amount of other materials.

ABSTR70198/80	P80
ABSTR70198/120	P120
ABSTR70198/240	P240
ABSTR70198/320	P320

Sia Fibre Backed Sanding Discs Aluminium Oxide 115mm x 22mm



Sia quality aluminium oxide disc - good all-round performance especially on mild steel and in the general steel fabrication industry. Box of 25 discs.

SFBDA45-36	P36
------------	-----

Sia Fibre Backed Sanding Disc Zirconia 100mm x 16mm



Superior Quality Zirconia 100x16mm Fibre Backed Sanding Disc with active additives to aid grinding and dressing. General grinding and dressing of mild steel and non-ferrous metals. Boxes of 25 discs.

SFBDZ4-36	P36
SFBDZ4-50	P50
SFBDZ4-60	P60
SFBDZ4-80	P80
SFBDZ4-100	P100
SFBDZ4-120	P120

Sia Fibre Backed Sanding Discs Zirconia 115mm x 22mm #BEST SELLER



Superior Quality Zirconia 115x22mm Fibre Backed Sanding Disc with active additives to aid grinding and dressing. General grinding and dressing of mild steel and non-ferrous metals. Boxes of 25 discs.

SFBDZ45-36	P36
SFBDZ45-50	P50
SFBDZ45-60	P60
SFBDZ45-80	P80
SFBDZ45-10	P100
SFBDZ45-120	P120

Sia Fibre Backed Sanding Discs Zirconia 125mm x 22mm



Superior Quality Zirconia 125x22mm Fibre Backed Sanding Disc with active additives to aid grinding and dressing. General grinding and dressing of mild steel and non-ferrous metals. Boxes of 25 discs.

SFBDZ5-36	P36
SFBDZ5-50	P50
SFBDZ5-60	P60
SFBDZ5-80	P80
SFBDZ5-100	P100
SFBDZ5-120	P120

Sia Fibre Backed Sanding Discs High Performance Ceramic 115mm x 22mm



Designed especially for heavy-duty sanding applications. The highly aggressive and durable ceramic fibre disc is suitable, in particular, for materials such as stainless steel (INOX), exotic alloys and other hard to grind metals. Boxes of 25 discs.

SFBDZC45-36	P36
SFBDZC45-50	P50

Fibre Backed Disc Backing Pad



Backing pads for fibre discs.

FBDBP100	4"/100mm
FBDBP112	4.5"/115mm
FBDBP180	7"/180mm

Alflex Standard Flap Discs Zirconia 115mm



High performing zirconia flap disc offering unbeatable value for money.

FDS4540	P40
FDS4560	P60
FDS4580	P80
FDS45120	P120

Alflex Quick Change Flap Discs Zirconia 115mm x M14 #Best Seller



High performing flap disc with vortex cooling backing and twin leaves of abrasive for extra performance. Unique threaded centre fixes direct onto angle grinder for rapid disc changes.

FDQC4540	P40
FDQC4580	P80


Mirka Mirlon Handpad



Flexible sanding material ideal for matting surfaces and creating a base for the next lacquer layer. Box of 20.

HPG	Green General Purpose
HPR	Red Very Fine
HPGR	Grey Ultra Fine

Rubber Stripe Eraser Wheel



High quality caramel, stripe removing wheels. For removing pinstripes, double-sided tape or adhesives from panels prior to refinishing. Large diameter and increased width ensure extended life and make this pad ideal for the busy bodyshop. Recommended speed 3,500 rpm

STRWHL	
--------	--

Contract Brush



Medium quality brush with wooden handle and pure bristles.

A general purpose brush achieving a reasonable finish for industrial applications.

CON05	0.5"/12mm
CON10	1"/25mm
CON15	1.5"/38mm
CON20	2"/50mm
CON25	2.5"/62mm
CON30	3"/75mm
CON40	4"/100mm

Quality Brush



High grade brush with wooden handle and pure bristles.

For achieving best results with high gloss and top grade finishes.

QLT05	0.5"/12mm
QLT10	1"/25mm
QLT15	1.5"/38mm
QLT20	2"/50mm
QLT25	2.5"/62mm
QLT30	3"/75mm
QLT40	4"/100mm

Synthetic Bristle Contract Brush



High quality brush with wooden handle and synthetic bristles.

A general purpose brush achieving a good finish for all types of application.

SYNBR05	0.5"/12mm
SYNBR10	1"/25mm
SYNBR15	1.5"/38mm
SYNBR20	2"/50mm
SYNBR25	2.5"/62mm
SYNBR30	3"/75mm
SYNBR40	4"/100mm

Pencil Brush



A quality artist brush with fine bristles.

PBN02	No. 2
PBN04	No. 4
PBN06	No. 6

4" Roller Handle



4" Mini roller frame with plastic handle. Available in 11" and 21" lengths.

4SH	11" Handle
4LH	21" Handle

Roller Cage Frame

Roller Cage Frame with plastic handle and push in fitting

9RF	9"x1.75"
-----	----------

4" Roller Refill

4" mini roller refills. Available in high density foam, short pile wool velour and solvent resistant medium pile versions.

4MP	Med Pile
4SP	Short Pile
4FM	Foam

Roller Refill Medium Pile

Polyester refill with thermo-fused fabric. A general all round roller with good pick-up, performance and coverage.

9MP	9"/230mm
12MP	12"/305mm
15MP	15"/380mm

Metal Double Arm Roller Frame

Strong metal double arm roller frame to be used with spindle core roller refills.

12RF	12"/305mm
15RF	15"/380mm

4" Jumbo Roller Refills

4" jumbo mini roller refills.

4JM	Med Pile
-----	----------

Plastic Roller Trays

Durable plastic paint roller tray with ribbed interior to aid paint loading onto rollers.

4PT	4" Tray
9PT	9" Tray
15RT	15" Tray

Plastic Paint Scuttle

9PS	9 litre
15PS	15 litre

Durable strong plastic paint scuttles with measuring scale. Ribbed interior to aid paint loading onto rollers.

Roller Extension Pole

2MXP	1-2mtr
------	--------

Steel extension pole with red PVC coated handle. Fit either screw-in or push fit roller handles. Simple twist and lock action.

Metal Paint Kettle

Galvanised paint kettle with wire handle

PKM	6" diameter
-----	-------------

Plastic Paint Kettle

Plastic paint kettle with wire handle

PKP	2.5ltr
-----	--------

Cotton Wipes Assorted



Soft and absorbent assorted cotton rags suitable for all purposes.

CCW	10kg Bag
-----	----------

Cotton Wipes White



Soft and absorbent white cotton sheeting suitable for most industries.

WCW	10kg Box
-----	----------

Centre Feed Tissue



Highly absorbent general purpose white centre feed tissue suitable for cleaning, wiping and drying.

CFT6	Pack of 6 rolls
------	-----------------

UltraGrime Industrial Jumbo Wipes



Extra large hand wipes that are specially formulated to thoroughly clean hands quickly and efficiently, whilst you work, without the need for water.

UGW	Pack of 100 wipes
-----	-------------------

Body Shop Wipes



300 wipes on a roll for all round purpose and convenience.

BSW	1 roll
-----	--------

Tack Cloths



High quality cloths that pick up and hold all dust, dirt, lint and sanding residue, for a perfect blemish-free finish. Packs of 10.

TCS10	Pack of 10
-------	------------

U-POL Easy One Filler



Upol Easy sand polyester body filler, suitable for larger repairs. Free of pinholes and can be sanded soon after use.

UEOF3.5	3.5ltr
---------	--------

U-POL 'B' Filler



Fibre glass compound suitable for bridging holes and rust. Can be over-coated directly.

UBF2.5	2.5ltr
--------	--------

Nitro Putty



A easy-to-sand fine putty filler that is designed to be used in hair line cracks and small imperfections.

NCP200	200 grams
--------	-----------

Stopper



2pk fine filler for final filling before high quality surface refinishing.

STP1	1kg
------	-----

3M White Filler 3ltr



3M51073 White General Purpose Filler is suitable for filling and repairing common damage to automotive substrates including stainless steel, aluminium, and galvanized surfaces. It is a lightweight filler and as such extremely easy to sand and shape for all automotive repairs.

3M51073	White
---------	-------

Bonda Wood Filler



A superb two component rapid hardening filler for wood. The fine particle size provides a dense smooth surface. Bonda wood fill hardens with non-tack surface that is easy to sand with minimal paper clogging. Does not slump on application and is ideal for filling shallow and deeper imperfections on wood. Also for skim coating and grain filling. Can be used for building up damage edges on joinery, filling shakes and splits in wood. It can be sanded, drilled, filed & machined when hard. Can be primed and painted using normal paints.

BONFILWHITE/1.5	White 1.5kg
BONFILASH/1.5	Ash 1.5kg

Polyester Resin kit



2pk Polyester Resin kit for use with fibreglass matting. For fibreglass (GRP) and metal repairs.

PYR/2.5	2.5ltr kit inc catalyst
---------	-------------------------

Plastic Spreaders



Plastic applicators with a flat leading edge to give a superior finish.

PLS10	Pack of 10
-------	------------

Filler Hardener



A universal hardener for use with most 2pk polyester based fillers.

FHA50	50 grams
-------	----------

Fibreglass Matting



Fibreglass matting (Approx 1.2m X 0.9m) to be used with PYR polyester resin kit for fibreglass and metal repairs.

FGM	
-----	--

Filler Board



Filler mixing board with 100 tear-off sheets.

FILBRD	100 sheets
--------	------------

PU Adhesive Sealant 310ml



Single component fast curing, flexible non-sag multipurpose polyurethane adhesive & sealant.

PUSEAB	Black
PUSEAG	Grey
PUSEAW	White

High Quality Tesa 4323 Masking Tape



Premium quality Tesa 4323 masking tape which is suitable for most masking, holding and sealing applications. 50 metre rolls.

MTT4323-25	1"/25mm
MTT4323-38	1.5"/38mm
MTT4323-50	2"/50mm


Low Tack Masking Tape



This low tack masking tape provides a useful alternative to the standard equivalent and is ideal for applying on delicate surfaces or if leaving in place for more than 24 hours. 50 metre rolls.

MTLT25/1	25mm
MTLT50/1	50mm

Cloth Tape



A multi-purpose, heavy duty, reinforced cloth tape. Adheres to most surfaces. 50mm wide. 50 metre rolls.

CLTB	Black
CLTS	Silver
CLTW	White

3M 2328 Masking Tape



Genuine 3M Low Bake Tape with secure grip, clean 'lift off' and excellent edge definition. 50 metre rolls.

MT25/1	1"/24mm
MT38/1	1.5"/36mm
MT50/1	2"/48mm

Fine Line Tape



A flexible tape suitable for detailed masking. Has medium tack, sticks well to most substrates and lifts off cleanly. 33 metre rolls

FLT3	3mm
FLT6	6mm
FLT9	9mm
FLT12	12mm

Masking Paper



A genuine 50gsm brown paper specifically manufactured for paint masking, tightly bonded with little or no fibre contamination. Gives excellent resistance to base coats, clear coats, water based paints and urethanes.

MP12/250	300mm x 250mtr
MP18/200	450mm x 200mtr
MP36/200	900mm x 200mtr
MP48/200	1200mm x 200mtr

Polymask Basic



PMB	4mtr x 150mtr
-----	---------------

Static Treated white, coated polythene is produced to be antistatic yet paint absorbent. Masking time and cost is cut to a minimum. It will not allow paint penetration, is impermeable to water and is suitable for recycling. Due to special treatment the paint stays on the film.

Trimaco PRO Hand Masker



THM	Hand Masker
THMC	Replacement Blade

Reduce masking time with the QM5000 PRO Masker. The masker dispenses masking film and tape together, allowing you to stick the film to the edge of the surface being protected, then unfold it to cover the surface. With a comfort grip, the Easy Mask QM5000 PRO Masker makes it quick and easy for professional painters to mask off large areas, saving time and money.

Trimaco Masking Film



PMF-48	48" x 180'
PMF-72	72" x 90'

Easy Mask Premium Masking Film that is easy to apply and unfold to cover large or small areas. Statically charged so it clings to the surface being protected and stays there, even when spraying in breezy conditions. Treated with a formula to attract paint overspray, drips and dust and hold them through multiple coats, leaving you with less to clean up at the end of a job. Use with the hand masker THM.

Plastic Paint Mixing Cups



Plastic paint mixing cup printed with measuring scale and mixing ratios. Lids can be used with these cups for short term paint storage.

MCP600	Pack of 50
MCPL600	Pack of 50 lids


Super Cups



High quality sturdy mixing cups for mixing paint with calibrated measuring scale and mixing ratios. Lids can be used with these cups for short term paint storage.

SC650	650ml cups (50)
SC2250	2250ml cups (40)
SCL650	650ml lids (50)
SCL2250	2250ml lids (50)

PaintMate Mixing Cups



High quality sturdy mixing cups for mixing paint.

PMC385/200	385ml cups (200)
------------	------------------

Tornado Paint Pot System



Disposable paint pot system as an alternative to the 3M PPS systems. 600ml pots with 190 micron mesh filter. Each box contains 1 x Rigid Outer Cup, 50 x Pot Liners, 50 x Pot Lids, 25 x Pot Caps

TORPPS	Pack of 50
--------	------------

3M Paint Prep System



3M Paint Prep System reduces paint waste and enables the spray gun to be used at any angle without interruption to the paint flow.

PPSS200	650ml cups with 200 micron filter (50)
PPSS125	650ml cups with 125 micron filter (50)
PPSSC	650ml Rigid Cup and Ring
PPSL200	850ml cups with 200 micron filter (25)
PPSL125	850ml cups with 125 micron filter (25)
PPSCL	850ml Rigid Cup and ring

Plastic Turbo Mixing Stick



Ensures thorough mixing every time.

MSP/10	Pack of 10
--------	------------

Aluminium Mixing Stick



Aluminium measuring/mixing stick printed with various mixing ratios. Takes the guesswork out of mixing - the first step to an excellent finish.

MSA3:1/1:1	Ratios 3:1 & 1:1
MSA4:1/2:1	Ratios 4:1 & 2:1
MSA5:1/3:1	Ratios 5:1 & 3:1

Cone Filters



Paper cone filters with nylon mesh strainers featuring the added benefits of lint-free synthetic media, consistent pore size and reinforced filter tip.

CFF/250	Fine 190 micron (250)
CFM/250	Medium 250 micron (250)

Metal test cards



6" x 4" Metal cards for testing colour samples. Includes printed black line to ensure full opacity is obtained.

TESTCARD	Pack of 100
----------	-------------

UN Approved Pail



A tapered UN approved plain white tinplate pail. Lacquered internally for use with water based products. Complete with ring latch & lid.

ETUN/3	3 litre
ETUN/6	6 litre

Empty Rectangular Berg Tin



A quality rectangular tin with a white external finish and a berg pull-spout closure. Ideal for low viscosity products or liquids with aggressive properties.

ETB/1	1 litre
ETB/2.5	2.5 litre
ETB/5	5 litre

Plastic Jerrycan



Plastic Jerry Can with screw top lid.

EPJ/5	5 litre
EPJ/25	25 litre

Plastic Bottle



Natural HDPE bottle comes with White wadded Poly Prop screw cap.

EB/50	50ml
EB/100	100ml
EB/250	250ml
EB/0.5	500ml
EB/1	1 litre

PACKAGING

Empty Round Paint Tin



A quality round tin with a white external finish and a plain internal finish. Suitable for solvent based paints, varnishes and stains. Lid included.

ET/0.25	250ml
ET/0.5	500ml
ET/1	1 litre
ET/2.5	2.5 litre
ET/5T	5 litre

Empty Round Lever Lid Tin Lacquered



A quality round tin with a white external finish and a lacquered internal finish. Suitable for paints, varnishes and stains including water based materials.

ETL/0.5	500ml
ETL/1	1 litre
ETL/2.5	2.5 litre
ETL/5	5 litre


Cone Top Tin



Cone top tin with screw cap. Lid with brush attachment is good for touch-up or working on small areas.

ECT/0.25	250ml
ETCBC	Brush Cap

Bubble Wrap



Large roll of bubble wrap for protecting fragile items or new paintwork.

BWS900	900mm x 100mtr
--------	----------------

Foam Polishing Head Velcro Backed 77mm

Velcro backed polishing pad 75 x 30mm available in soft, medium and hard. Requires backing pad to fit polisher.

FPH3S	Soft
FPH3M	Medium
FPH3H	Hard

Farecla G-Mop Std Compounding Head

Farecla highly durable 150mm applicator for use with polishing compounds.

FGMSCH	
--------	--

Velcro Backed Foam Polishing Head 150mm

High quality soft foam velcro backed pad for polishing 150mm x 40mm. Requires a velcro backing pad M14 to fit polisher.

FPHV	Polishing Head
FPHVBP150	Backing Pad

Foam Polishing Head 150mm

Polishing and compounding head 150mm x M14 thread available in standard and soft versions.

FPH14	Standard M14
FPH14S	Soft M14

Farecla G-Mop Adv Polishing Foam

Farecla advanced polishing foam. Special fluted design helps to keep the surface cool.

FGMAPF	
--------	--

Farecla G3 Compound

Farecla G3 Liquid has been tested to work on all paint systems and is proven to work well in polishing defects out of any paint type including anti-scratch clear coats.

FG3L	Liquid 1 litre
FG3P	Paste 3kg

Farecla G6 Compound

The G6 Rapid System has been specifically developed for use on all modern refinish paintwork. It removes P1500 scratch marks and will reach the level of gloss required in the shortest time. For dry use only.

FG6L	Liquid 1 litre
------	----------------

Farecla G7 Compound

Farecla G7 Rubbing compound.

FG7P	Paste 3kg
------	-----------

Cut Mutton Cloth

Cut pieces of absorbent and washable polishing cloth.

MC2	2kg
-----	-----

T-Cut Scratch Remover

This unique formula restores original lustre in seconds by removing surface oxidation, ingrained road grime, tar spots and dried insects.

TCUT/2.5	2.5 litre
----------	-----------



Disposable Nuisance Mask

A quality disposable nuisance/comfort mask

NM/50	Pack of 50
-------	------------

Moulded Disposable Mask FFP2 NR

Disposable FFP2 NR Betafit mask ideal for protecting the user from dust and other airborne particles.

3020/20	Box of 20
---------	-----------

3M 9322+ Aura Fold Flat Mask FFP2 w/valve

Disposable FFP2 NR individually wrapped 3 panel fold flat mask with valve for optimum user comfort, hygiene and easy breathing.

3M9322	Box of 10
--------	-----------

3M Disposable Half Mask A1P2D

Half-mask FFA1P2D respirator with valve. Adjustable head & neck straps. Designed for maximum comfort and user visibility. For protection against solvent vapour and spray mist. Not suitable for paints containing isocyanates.

6941	Each
------	------

Disposable Mask FFP2 NR fold flat w/valve

Disposable FFP2 NR Betafit fold flat mask ideal for protecting the user from dust and other airborne particles. It comes with a valve to reduce air-flow resistance, making it even easier to breathe.

VF-2V/20	Pack of 20
----------	------------

Moulded Disposable Mask FFP2 NR w/valve

Disposable FFP2 NR Betafit mask ideal for protecting the user from dust and other airborne particles. It comes with a valve to reduce air-flow resistance, making it even easier to breathe.

3020V/10	Box of 10
----------	-----------

Weldair P2V Welding Carbon Masks

Disposable FFP2 NR carbon mask for protection against toxic particles and nuisance levels of welding ozone.

P2V/10	Pack of 10
--------	------------

Moldex Responsible Half Mask A1P2RD

Moldex A1P2RD responsible half mask ideal for protecting the user from harmful odors, dust and other airborne particles. Adjustable head & neck straps. Not suitable for paints containing isocyanates.

MOL8172	Complete Medium Mask
MOL8070	Replacement P2 Filters (pair)
MOL8100	Replacement Carbon Filters (pair)
MOL8900	Replacement Filter Retainers (pair)
MOL8002	Medium Mask (body only)
MOL8003	Large Mask (body only)

Anest Iwata Complete Air Fed Breathing Kit

Anest Iwata complete air fed mask kit including hood, waistbelt and spray gun whip hose. Comes with handy bucket for clean storage. Upward air flow improves user comfort when used for prolonged periods. Can be used with isocyanate containing paints.

AFBKAI	Complete Kit
AFRCAI	Carbon Filter
AFRVAI	Replacement Visor
VCAI/10	Disposable Visor Covers (10)

Air Breathing Hose 3/8" (10mm)

PVC Low pressure hose suitable to supply fresh air to respiratory masks. Fittings are 1/4" bsp female thread on one side and a high-flow coupling on the other (this connects straight to most Air-fed breathing masks).

ABH10-10	10mtr
ABH10-15	15mtr
ABH10-20	20mtr
ABH10-30	30mtr

Nitrile Disposable Gloves

A durable high performance alternative to Latex gloves. Resistant to oils, acids and many chemicals. Pack of 100

GNDBM	Medium
GNDL	Large
GNDLXL	X-Large

Air Breathing Hose 1/4" (6mm)

PVC Low pressure hose suitable to supply fresh air to respiratory masks. Fittings are 1/4" bsp female thread on one side and a high-flow coupling on the other (this connects straight to most Air-fed breathing masks).

ABH6-7.5	7.5mtr
----------	--------

Latex Disposable Gloves

Quality Powdered Disposable Latex gloves. Pack of 100

GLDM	Medium
GLDL	Large
GLDXL	X-Large

Nitrile Ansell Marigold Glove

Flock lined nitrile gloves with open cuffs to allow ventilation. Good resistance to many solvents and oil based chemicals. Length 330mm, thickness 0.84mm.

GNMGL	Large
GNMGXL	X-Large

Elbow Length Nitrile Marigold Glove

Elbow length flock lined nitrile gloves. Good resistance to many solvents and oil based chemicals.

GNML	
------	--

Quality Rigger Glove

Quality chrome leather rigger gloves with rubberised cuff.

GRIGQ	Pair
-------	------

Heat Resistant Glove

Quality safety gloves, made from Terry cloth. Provides good insulation against heat. 32oz heavyweight.

GHRG	
------	--

Dupont Tyvek Coverall

Type 5&6 Tyvek Disposable coverall ideal for use against dry particulate hazards and spray. Has electrostatic protection to EN1149-1.

TVCM	Medium
TVCL	Large
TVCX	X-Large
TVCXX	XX-Large

Nitrile Foam Coated Glove

Seamless knitted nylon glove with light porous foam Nitrile coating. Provides maximum dexterity and excellent grip.

11WFE9	Size 9
--------	--------

Standard Rigger Glove

Chrome leather rigger gloves with rubberised cuff.

GRIGS	Pair
-------	------

Polyurethane Coated Knitted Nylon Glove

Polyurethane coated knitted gloves providing good dexterity with high grip.

GKPC9	Size 9
-------	--------

Dupont Tyvek Disposable Hoods

Disposable cape hood for use with disposable Tyvek coveralls. Ideal for use against dry particulate hazards and paint spray.

TVH	
-----	--

Noisebeta Premium Ear Defender

Ear defender with extra thick ear cushions and padded head band for improved comfort. Folding arms facilitate storage.

HP6200	Each
--------	------

Noisebeta Adjustable Banded Earplugs

NOISEBETA Adjustable Banded Earpods are a comfortable option for when hearing protection is required only intermittently.

HP6015	Pack of 20
HP6016	Replacement Ear Pods (10)

NOISEBETA Detectable Corded Earplugs

NOISEBETA Detectable Corded Earplugs are washable and reusable whilst being metal detectable making them ideal for use in the food industry.

HP6081	Pack of 50
--------	------------

Foam Earplugs

Betafit soft foam ear plugs offering excellent attenuation and are very comfortable to wear. Packed in a dispensing box for greater convenience. Individually wrapped in pairs.

FEP/200	Box of 200 pairs
---------	------------------

Clear Anti-Scratch Safety Glasses

BETAFIT MERANO Clear Safety Eyewear – Lightweight and Stylish Clear Polycarbonate One-Piece Lens for general impact protection.

EW1201	Each
--------	------

Safety Glasses

BETAFIT GENEVA Clear Safety Eyewear offers anti-scratch wraparound lens for excellent all-round protection.

SG2101	
--------	--

PT115 T-wash Mordant Solution

T-wash mordant solution treatment for galvanised steel prior to painting. Neutralises the surface turning it black making it more suitable for painting.

PT115/5	5 litre
---------	---------

PT117 Panel Wipe

Mild intercoat solvent for cleaning paint work between coats of paint.

PT117/5	5 litre
---------	---------

PT211 Glass Cleaner

Powerful, smear free, fast drying cleaner for glass.

PT211/5	5 litre
---------	---------

PT213 Green Clean

A specially formulated water based degreaser for cleaning all substrates prior to application of AquaGrip.

PT213/5	5 litre
---------	---------

PT116 Degreaser

Wipe on, wipe off fast flash solvent degreaser.

PT116/5	5 litre
---------	---------

PT120 Alkaline Cleaner

Water soluble multi purpose degreaser.

PT120/5	5 litre
---------	---------

PT212 WB Equipment Cleaner

Equipment cleaner for use after spraying waterborne paints.

PT212/5	5 litre
---------	---------

PT215 Concrete Acid Etch Solution

Acid solution for use on smooth and shiny concrete floors prior to painting. Refer to product data sheets for full usage instructions.

PT215/5	5 litre
---------	---------

PT220 Paint & Varnish Remover

Extremely powerful Paint & Varnish Remover. For professional use only.

PT220/5	5 litre
---------	---------

SV110 Acetone

Acetone is a high strength solvent widely used in the composites industry for cleaning resin from brushes, rollers and equipment. Acetone will effectively dissolve and clean epoxy, polyester and vinylester resin. It can also be used as a high strength de-greaser/surface preparation and paint remover.

SV110/5	5 litre
---------	---------

SV204 IPA Solvent

Isopropyl alcohol is a fast evaporating cleaner which removes light grease and oil contamination from almost any surface. Often used to clean plastic surfaces prior to painting.

SV204/5	5 litre
---------	---------

Std Thinner 25ltr

Recycled thinner for cleaning. Not recommended for thinning paint.

STD/25	25 litre
--------	----------

RC140 Rust Converter

Pretreatment for rusted surfaces. Turns rust into a black inert substrate prior to painting.

RC140/5	5 litre
---------	---------

SV203 MEK Solvent

A very powerful solvent used for cleaning or thinning paint.

SV203/5	5 litre
---------	---------

Fast Anti-Silicone Wipe

A degreaser panel wipe for pre cleaning of body panels prior to paint application.

WIPEF/5	5 litre
---------	---------

SV101 Premium Std Thinner

Recycled thinner for cleaning. Not recommended for thinning paint.

SV101/25	25 litre
SV101/5	5 litre

SV104 Slow Thinner

White Spirit to be used for cleaning or thinning paints.

SV104/5	5 litre
---------	---------

SV107 Cellulose Thinner

A cellulose thinner for cleaning or thinning cellulose based paints.

SV107/25	25 litre
SV107/5	5 litre

SV202 2K Universal Thinner

A 2pk universal thinner for general use with 2pk paints.

SV202/5	5 litre
---------	---------

SV106 Anti-Bloom Thinner

An anti-bloom thinner to be used when paint film blooming is likely.

SV106/5	5 litre
---------	---------

SV109 Distilled Water

Distilled water for thinning water based paints.

SV109/5	5 litre
---------	---------

SV207 Fast Reactive Thinner

A fast reactive thinner for use with 1pk paints to speed up the drying and curing process.

SV207/5	5 litre
---------	---------




OUR MISSION IS TWOFOLD – PROVIDING LONG LIFE PAINT SYSTEMS & MAXIMISING PAINTSHOP EFFICIENCIES



Facts from a recent demonstration

- 2 coats instead of 4
- 37% paint saving
- Estimated 30-40% labour saving
- Reduced VOC emissions
- Longer life paint system



These are some of the potential savings by “LEAN engineering” your painting process.

Call us today to see what you can save – **01753 584 500**

- Faster throughput?
- Longer life paint system?
- Reduced Paint costs?
- Reduced Application costs?

BOOK A FREE AUDIT OF YOUR PAINTING PROCESS



SPRAY BOOTHS

Unova supply bespoke spray booths by 'Masterflo'. Led by energy and space saving demands each Spray booth is designed to suit the specific requirements of the client.



Masterflo are a UK manufacturer of industry-leading, high quality spray booth systems. With many years of experience in coatings, we are able to provide you with a premium finishing environment for all of your industrial applications.

The product range and market sector is huge, but can be fine-tuned to match your specification and budget and meet HSE Legislation.

- Commercial vehicle
- Automotive
- Rail
- Marine
- Aviation
- Engineering
- Fabrication
- Exhibition & Film
- Furniture
- Finishing

Design | Build | Install | Commission | Maintain
CALL MASTERFLO NOW... **01753 595955**

www.masterflo-uk.com



Q-Tech Q-P025 Electric Airless Piston Pump Outfit Complete with Hose and Gun

Electric Airless Sprayer complete with TriTech gun, 517 tip and 15mtr hose. Offers many benefits to the sprayer at a very competitive price. This unit will support a 25 thou tip and pump up to 2.9 litres per minute making it capable of spraying many products. The powerful 1300 watt motor provides a maximum pressure of 207bar/3000psi. 240v version also available.

QP025-110	110 volt
-----------	----------

TriTech T5 Hi-Cart Airless Spraypump

LIFETIME WARRANTY on motor and draintrain! Built to last and easy to maintain. The powerful 820 watt motor will pump up to 2.27 litres a minute supporting a 25 thou tip. Maximum working pressure of 227bar/3300psi. Supplied complete with T360 TriTech gun, 517 tip and 15mtr hose. 110v only.

TRIT5H	
--------	--

Tri-Tech T360 Airless Gun

TriTech airless spray gun complete with tip holder and 517 tip. Maximum working pressure 250bar/3625psi. Swivel joint hose connector. Shut-off valve spring located outside of the fluid passages for longer life and reduced maintenance.

503-150	Includes 517 tip
---------	------------------

Airless Spray Gun Tip

High Pressure Airless reversible tips with extra hard tungsten carbide orifice. Many sizes available - please contact us for further information.

ASGTxxx	*Specify Size*
---------	----------------

Airless Spray Gun Tip Holder

Safety Guard and Tip Holder with easy hand-tight nut - fits the Q-tip range of reversible tips. Also accepts many other major manufacturers' reversible spray tips and most other guns. Maximum working pressure 350bar/5075psi.

TH7/8	7/8" Thread
TH11/16	11/16" Thread

High Pressure Single Wire Paint Hose


Single wire high pressure paint hose. Maximum working pressure 325bar/4,710psi. Available in any length with a wide range of fittings.

HPHOSE/15	15mtr
-----------	-------

High Pressure Textile Paint Hose

High pressure textile reinforced fluid hose for use with electric pumps. Max working pressure 225 bar. Available in a wide range of lengths with various fittings as required.

HPTEXHOSE/15	15mtr
--------------	-------

Manifold Filter for Q-Tech

Manifold filter to fit Q-Tech, Airlessco and Graco pumps.

MANIFIL30	30 mesh
MANIFIL60	60 mesh

Pencil Filter for Q-Tech

Spray gun pencil filter fitting most Airless Guns including Q-Tech, Airlessco, Graco, Wagner etc. Pack of 10

PENFIL30	30 mesh
PENFIL50	50 mesh
PENFIL100	100 mesh
PENFIL200	200 mesh

Pencil Filter for Graco Guns

Spray gun pencil filter to fit Graco guns. Pack of 10.

PENFILGR60	60 mesh
PENFILGR100	100 mesh

Suction Pipe Filter



Spraypump suction pipe filter with 1/2" thread.

QF0535015B	15 mesh
QF0535030B	30 mesh

Star 2ltr Pressure Pot



2ltr pressure pot supplied with regulator and hoses. For general industrial uses.

PP2	
-----	--

Star 10ltr Pressure Pot Complete



A 10 litre pressure pot. Paint pot is freestanding with casters for easy manoeuvrability. Use with low pressure twin hoses and pressure fed spraygun.

PRESPT10	
----------	--

Fastmover Pressure Gun



A Fastmover low pressure gun for use with most pressure pot systems. 1.3-2.5mm nozzles available.

KPG	1.6mm
-----	-------

Tri-Tech Extension Pole



TriTech airless extension poles available in a variety of lengths and 2 thread sizes. Maximum working pressure 290bar/4,200psi.

EXT36	36" with 7/8" thread
-------	----------------------

DeVilbiss 2.3ltr Pressure Pot



DeVilbiss Aluminium Remote Cup without Hoses. 2.3 litre capacity, with a familiar gun handle grip and a belt hook for the operators convenience.

KB522B	
--------	--


Low Pressure Twin Hoses



A low pressure twin hose assembly for use with pressure pots and diaphragm pumps. Wide range of fittings available. Custom lengths can be made to order. Please request details and pricing for custom requirements.

LPTH/1.8	1.8mtr
LPTH/7.5	7.5mtr
LPTH/10	10mtr

DeVilbiss FLG Pressure Spray Gun



General purpose compliant pressure spray gun for a wide range of refinish paints and coatings. Operates with unique and efficient DeVilbiss Trans-Tech® Atomisation Technology. It has a ergonomically shaped gun handle for positive grip and comfort with a smooth action trigger with exceptionally light pull for fatigue free operation. Ultra lightweight but strong, cast aluminium gun body with full controls of pattern shape, fluid flow rate and air inlet pressure. Precision engineered brass air cap and stainless steel fluid tips.

FLG-P5-14	1.4mm
-----------	-------

Mini Gravity Spray gun



A Fastmover HVLP mini gravity spray gun. Can be used with 3M paint prep systems. Stainless steel for use with water or solvent based paints.

MSGG	0.8mm
------	-------

Fastmover Voylet Gravity Gun



A premium gravity spray gun. Ideal mid-range spray gun for industrial and commercial use.

KSGG14	1.4mm
KSGG18	1.8mm
KSGG20	2.0mm

Quality Conventional Gravity Spray Gun



General purpose gravity spraygun with 600ml pot. For industrial applications.

SGGQ	1.8mm
------	-------

DeVilbiss FLG Gravity Spray Gun



General purpose compliant gravity spray gun for a wide range of refinish paints and coatings. Operates with unique and efficient DeVilbiss Trans-Tech® Atomisation Technology. It has a ergonomically shaped gun handle for positive grip and comfort with a smooth action trigger with exceptionally light pull for fatigue free operation. Ultra lightweight but strong, cast aluminium gun body with full controls of pattern shape, fluid flow rate and air inlet pressure. Precision engineered brass air cap and stainless steel fluid tips.

FLG-G5-14	1.4mm
FLG-G5-18	1.8mm

Gravity Pot+Lid for DeVilbiss Guns

A gravity pot and lid that is compatible with most DeVilbiss gravity guns.

DGPL

Synthetic Gun Filter Gravity

A synthetic filter for use with most gravity guns.

GFG10

Pack of 10

DeVilbiss FLG Suction Spray Gun

General purpose compliant suction spray gun for a wide range of refinish paints and coatings. Operates with unique and efficient DeVilbiss Trans-Tech® Atomisation Technology. It has an ergonomically shaped gun handle for positive grip and comfort with a smooth action trigger with exceptionally light pull for fatigue free operation. Ultra lightweight but strong, cast aluminium gun body with full controls of pattern shape, fluid flow rate and air inlet pressure. Precision engineered brass air cap and stainless steel fluid tips.

FLG-S5-18

1.8mm

Gravity Spray Gun Holder

A wall mounted gravity spray gun stand, ideal for holding your gravity gun steady while you are moving the substrate or filling up the pot with paint.

SGH

Wall mounted

Fastmover Suction Gun

A 1.6mm suction gun with 1000ml pot. Ideal mid-range spray gun for industrial and commercial use.

KSSG

1.6mm

Synthetic Gun Filter Suction

A synthetic filter for use with most suction guns.

GFS10

Pack of 10

Air Feed Pipe for Q-Tech HVLP Gun

Replacement air feed pipe with valve to fit the Q-Tech HVLP spray guns.

AFPQT

Each

Spray Gun Cleaning Kit

A 13 piece master spray gun cleaning kit, with brush that can be used with all types of paint, thinners and spray gun cleaning solvents. Ideal for cleaning all types of Suction, Gravity feed, HVLP, Detail, Touch up and Pressure spray guns as well as air brushes and stripping tools

GCK

Q-Tech HVLP 3 Stage Turbine Unit Complete

Complete HVLP Turbine spray unit including gun and 6mtr hose. Powerful 1400 watt motor and 3 stage turbine.

QT3/110

110v kit

QT3/240

240v kit

QT3/53

Spare Primary Filter

QT3/51

Spare Pleated Filter

QTTHA6M

Spare Hose 6mtr

Apollo Turbine HVLP Spray Gun

Apollo HVLP spray gun for use with turbine compressor units. Designed to spray with reduced over spray and paint loss, this is ideal for on-site applications. Suitable for use with most paint types, this spray gun gives a particularly good finish with gloss paints. Variable paint flow and fan width makes it useful for a very wide range of applications.

ASG

Drying Rack

MASTERFLO drying racks of all sizes and configurations are available. BUDGET are the low cost option supplied flat packed. STANDARD come in a range of limited range of readily available sizes. EXPANDER racks offer an adjustable width enabling them to be used for a wider range of applications. BESPOKE racks are available to build to your exact requirements.

MFDR

Budget Spray Table



MASTERFLO budget spray table, adjustable in height from 600mm to 1000mm with a spacious fully rotating 1000mm by 500mm top. It is a flat pack design to save space when not in use, all at a low price.

MFSTB


Standard Spray Table



MASTERFLO Standard spray table, the professionals industry standard with an extra robust design. Adjustable in height from 690mm to 840mm with a spacious 660mm diameter MDF top. It is a fully welded heavy duty construction with tripod legs to ensure total stability. Super smooth bearings for easy rotation.

MFSTS


Foot Operated Spray Table



MASTERFLO foot operated spray table. Spin with your foot to allow constant spraying whilst keeping hands clean and free. Adjustable in height from 650mm to 1000mm. Distance between opposing prongs is adjustable from 120mm to 680mm. The unique design allows good air flow with little chance of paint 'bounce back'.

MFSTF

Concertina Pleated Booth Filter



Environmentally friendly, highly efficient concertina filter paper designed to capture paint and lacquer overspray. It is easy to fit and self supporting. Cut to size to fit any booth, left over sections can be stapled together reducing waste. Deep pleats ensure long life and maximum efficiency. Restraints fitted to the back of the filter ensure that it opens out to provide optimum filtration and long life. Concertina construction allows for compact storage.

PBF09 9mtr x 900mm

PBF10 9mtr x 1000mm


Extract Filter



Glass fibre extract filter for dry back booths. Arrests fine paint spray mist as generated in the application of wet paint type products. 20 metre roll.

EXF0.7	700mm
EXF0.9	900mm
EXF1	1000mm
EXF15	1500mm
EXF2	2000mm

Secondary Extract Filter



A secondary filter used in conjunction with Extract filter to ensure EPA compliance. 20 metre roll.

EXSF0.9	900mm
EXSF1	1000mm

Inlet Filter with Scrim Backing



Spraybooth inlet filter for all spray areas to reduce air borne contamination. Thermal bonded synthetic filter treated with special adhesive to prevent dust loss due to vibration. 20 metre roll.

INFSB/20	1000mm
----------	--------

Inlet Panel Filter



Inlet panel filters to reduce airborne dust and particles in your spraybooth. Supplied to order in whatever size you require.

All sizes available	Call for a price
---------------------	------------------

Peelable Booth Coating White



A solvent based white coating for use on paint spray booths of all types. It is a common method of controlling paint over spray that would otherwise soil the spray booth.

PBC	5 litre
-----	---------

Clear Peelable Booth Coating



A water based clear peelable booth coating to facilitate easy removal of overspray accumulations on spray booth walls and other surfaces. Particularly suitable for use with the MastRe-flex booths on the clear flexible sheeting.

AQPTS/25	25 litre
----------	----------

Air Compressors



Air compressors - complete range available from 2HP to 10HP and beyond - piston, screw or quiet options - with or without refrigerant dryers - please call us to discuss your requirements.

PCL Air Fittings



PCL air fittings with 1/4" BSP thread.

FMTNF	Nipple Female
FMTNM	Nipple Male
AFQRCF	Coupling Female
AFQRCM	Coupling Male

High Flow Air Fittings



Hi-Flow air fittings for maximum air flow and minimum pressure loss. Especially useful for tools and equipment that have a high air consumption. A requirement for air fed breathing masks.

AFMAMHF/5	Nipple Male (Pack of 5)
AFMAFHF/5	Nipple Female (pack of 5)
AFQRCMHF	Coupling Male
AFQRCFHF	Coupling Female

Air Fitting 'Y' Adaptor



AFYP	1/4" Thread
------	-------------

Male Union Connector



AFMU14	1/4" to 1/4"
--------	--------------

Air Hose



Silicone free rubber air hose with 1/4" BSP female thread fittings at both ends.

AH85	8mm x 5mtr
AH810	8mm x 10mtr
AH820	8mm x 20mtr
AH1015	10mm x 15mtr

Mini Air Regulator with Gauge



A 32mm lightweight air regulator with solvent resistant glass lens. 1/4" BSP male thread inlet and a 1/4" BSP female thread outlet. Ideal for spray guns and air tools

MAR	
-----	--

Inline Aquapurge Filter



2 Stage filter unit with regulator to provide air that is breathing quality providing a carbon filter is fitted to the air fed mask. Includes a 5 micron coalescing filter. 1/2" fittings on inlet and outlet.

IAF	2 stage regulator
IAFCF	Replacement Coalescing Filter
IAFR	Replacement Filter Element

Air Blow Gun



A hi-flow air blow gun with a 1/4" BSP fitting.

Mirka PROS650 Pneumatic Sander



Mirka PROS650 6" (150mm) sander complete with hose and dust bag. 12,000rpm with a 5mm orbit. Excellent value for money and comes with a 2 year warranty.

PROS650DB	Complete Kit
-----------	--------------

Inline Filter/Regulator



Air filter and regulator with 1/2" inlet and outlet connections.

IAFR12	
--------	--

Budget Handle Sander



A 6" (150mm) dual action sander with a 5mm orbit. 8,500rpm with an average air consumption of 4CFM.

SP901	
-------	--

CP Premium Handle Sander



A pneumatic low noise level CP Premium Handle Sander for 2 handed applications. Operator comfort is enhanced with ergonomic palm shape. Productivity is increased with low vibrations level allowing it to be powerful and still easy to use for vertical and horizontal applications. Great for surface preparation from body filler to paint primer. 5mm orbit with a powerful 0.3 hp (210 W) motor. Up to 11,000rpm. Supplied with a velcro hook & loop backing pad. Average air consumption 9CFM.

CP7255H

CP Premium Palm Sander



A pneumatic low noise level CP Premium Palm Sander with central vacuum. Operator comfort is enhanced with ergonomic palm shape with soft grip and tear drop design for perfect control. Productivity is increased with low vibrations level allowing it to be powerful and still easy to use for vertical and horizontal applications. Great for surface preparation from body filler to paint primer. 5mm orbit with a powerful 0.3 hp (210 W) motor. Up to 12,000rpm. Supplied with a velcro hook & loop backing pad. Average air consumption 8CFM.

CP7255CVE

4.5" Makita Angle Grinder



Makita GA4530 4.5" angle grinder. 720w motor provides 11,000rpm suitable for the most demanding applications. Engineered bevel gears and special bearing protections ensures a long life from this product.

MAKAG45110	110v
MAKAG45240	240v

Disposable Snap-off Knife



9mm Disposable Snap-off Decorators Knife

DSK

Stanley Craft Knife



A disposable craft knife suitable for small precision cutting.

CRK

Steel Blade Scraper



A quality zippy-type scraper.

SBS	Blade Scraper
SBL	Spare Blades (100)

4 Row Wooden Handle Wire Brush



Durable 4 row wire brush with wooden handle.

WIREBR4

Semi-Auto Spraygun Cleaning Machine



Twin gun, semi-automatic, fully enclosed spraygun cleaner. Can be used with either waterbased OR solvent applications. 60 second wash cycle. Air consumption 2-4CFM. CE and ATEX approved.

SGCMA2G

Manual Can Crusher



The Eezesqueeze is hydraulic and is operated manually. For low use applications, this machine is designed to fit on a workstation and is a low cost solution for crushing 5 litre tins.

CC5M

Bramidan TP2 Pneumatic Can Crusher



The TP2 is a very practical pneumatic press for crushing/compacting steel containers of up to 30 litres. This machine is delivered ready for operation from a compressed air supply. Waste volume is reduced by up to 90%.

CC30P



Unit 4 Transcentral, Bennet Road,
Reading, RG2 0QX

T: 01753 584 500

Email: sales@unovaproducts.com